Hooks

Magic Login Pro · https://handyplugins.co/docs/magic-login-hooks-doc/

Magic Login – Action Hooks

Hook Name	Summary	Since	File
`magic_login_form`	Fires following the 'email' field in the login form.	1.0	`./includes/shortcode.ph`
`magic_login_pro_updated`	Fires after plugin update.	2.1	`./includes/classes/Inst`
`magic_login_invalid_code`	Fires when the code login is invalid	2.4	`./includes/classes/Code`
`magic_login_code_login`	Apply login action	2.4	`./includes/classes/Code`
`magic_login_code_form`	Fires following the 'code' field in the login form.	2.4	`./includes/classes/Code`
`magic_login_send_login_sms`	Send login SMS	2.4	`./includes/classes/SmsS`
`magic_login_settings_imported`	Action after settings are imported.	2.5	`./includes/classes/Tool`
`magic_login_fluent_crm_before_create_login_link`	Fires before creating Magic Login link for FluentCRM subscriber.	2.4	`./includes/classes/Inte`
`magic_login_before_woocommerce_login_form`	Fires before the WooCommerce login form.	2.4	`./includes/classes/Inte`
`magic_login_after_woocommerce_login_form`	Fires after the WooCommerce login form.	2.4	`./includes/classes/Inte`

Hook Name	Summary	Since	File
`magic_login_handle_login_request`	Fires before handling the login request	-	`./includes/classes/Logi`
`magic_login_invalid_user`	Fires when the user is not found.	-	`./includes/classes/Logi`
`magic_login_invalid_token`	Fires when the token is invalid.	-	`./includes/classes/Logi`
`magic_login_before_login`	Fires before the user is logged in.	-	`./includes/classes/Logi`
`magic_login_logged_in`	Fires after the user is logged in.	-	`./includes/classes/Logi`
`wp_login`	Fires after the user is logged in as standard WordPress action.	-	`./includes/classes/Logi`
`magic_login_form`	Fires following the 'email' field in the login form.	1.0	`./includes/classes/Logi`
`magic_login_send_login_link`	Fires before sending the login link email.	-	`./includes/classes/Logi`
`post_paddlepress_plugin_updater_setup`	Fires after the $paddlepress_plugin_data is setup.	1.0	`./includes/classes/Upda`
`in_plugin_update_message-{$file}`	show update nofication row -- needed for multisite subsites, because WP won't tell you otherwise!	-	`./includes/classes/Upda`

Hook Name	Summary	Since	File
`magic_login_registration_form_start`	Fires at the start of the registration form	2.2	`./includes/classes/Regi`
`magic_login_registration_form_middle`	Fires in the middle of the registration form	2.2	`./includes/classes/Regi`
`magic_login_registration_form_before_submit`	Fires before the submit button in the registration form	2.2	`./includes/classes/Regi`
`magic_login_registration_before_process`	Fires before processing the registration form	-	`./includes/classes/Regi`
`magic_login_registration_before_user_create`	Fires before user creation	2.2	`./includes/classes/Regi`
`magic_login_registration_after_user_create`	Fires after user creation	2.2	`./includes/classes/Regi`
`magic_login_form`	Fires following the 'log' field in the magic login form.	-	`./includes/block.php`
`magic_login_invalid_ip`	Fires when the IP address is invalid	-	`./includes/security.php`
`magic_login_pro_loaded`	Fire an action after the magic login core is loaded.	-	`./includes/core.php`

Hook Name	Summary	Since	File
`magic_login_pro_init`	Fire an action after the magic login core is initialized.	-	`./includes/core.php`

Magic Login – Filter Hooks

Hook Name	Summary	Since
`magic_login_shortcode_form_action`	Filter the form action URL for the login shortcode.	-
`magic_login_pre_process_code_login_request`	Pre process code login request	2.4
`magic_login_pre_code_login`	Pre authenticate code login	2.4
`magic_login_get_user_by_phone_number_args`	Filters the arguments used to get the user by phone number	2.4
`magic_login_user_phone_number`	Get the user phone number	2.4
`magic_login_sms_login_message`	Filter the SMS login message	2.4
`magic_login_sms_placeholders`	Filter the SMS placeholders	2.4
`magic_login_export_settings`	Filter the export settings.	2.5
`magic_login_import_settings`	Filter the import settings.	2.5
`magic_login_fluent_crm_create_login_link`	Filter the Magic Login link for FluentCRM subscriber.	2.4

Hook Name	Summary	Since
`magic_login_edd_title`	Filter the title of the Magic Login form.	-
`magic_login_edd_shortcode`	Filter the shortcode for the Magic Login form.	-
`magic_login_hide_on_woocommerce_login_form`	Filter the title of the Magic Login form on WooCommerce login form.	-
`magic_login_shortcode_content_on_woocommerce_login_form`	Filter the shortcode content of the Magic Login form on WooCommerce login form.	-
`magic_login_woo_customer_login_title`	Filter the title of the Magic Login form on WooCommerce My Account page.	-
`magic_login_woo_customer_login_shortcode`	Filter the shortcode for the Magic Login form on WooCommerce My Account page.	-
`magic_login_replace_magic_link_in_wp_mail`	Filter magic_login_replace_magic_link_in_wp_mail	2.0.0
`magic_login_replace_magic_link_in_wp_mail_message`	Filter magic login replace	2.0.0
`magic_login_replace_magic_login_qr_in_wp_mail_message`	Filter qr image source for wp_mail integration {{MAGIC_LOGIN_QR}}	2.5

Hook Name	Summary	Since
`magic_login_replace_magic_login_qr_img_in_wp_mail_message`	Filter qr image tag for wp_mail integration {{MAGIC_LOGIN_QR_IMG}}	2.5
`magic_login_add_auto_login_link`	Filter auto login link	1.6.0
`magic_login_auto_login_link_message`	Filter login message	1.6
`magic_login_auto_login_link_email_message`	Filter email message	1.6
`magic_login_auto_login_excluded_subjects`	Exclude some of the emails Copy emails as is, for covering in translated versions	-
`magic_login_auto_login_link_excluded`	Filter if auto login link is excluded for given mail	1.6
`magic_login_error_message`	Filter the error message	-

Hook Name	Summary	Since
`magic_login_invalid_token_error_message`	Filter the error message for invalid token.	-
`magic_login_error_message`	Filter the error message for invalid token.	-
`login_redirect`	Filter the redirect URL.	-
`magic_login_redirect`	Filter the redirect URL for Magic Login.	-
`magic_login_info_message`	Filter the info message	-
`magic_login_process_login_request_result`	Filter the result of the login process	2.4
`magic_login_before_login_form_redirect`	-	-
`magic_login_pre_process_login_request`	Fires before processing the login request	-
`magic_login_pre_send_login_link`	Apply pre-send link filter. Useful for preventing sending the login link.	-
`magic_login_missing_user_error_message`	Filter the error message when user is missing	2.4
`magic_login_email_content`	Filter the email content	-

Hook Name	Summary	Since
`magic_login_email_subject`	Filter the email subject	-
`magic_login_email_headers`	Filter the email headers	-
`magic_login_qr_url`	Filter the URL before encoding it into a QR code.	2.5
`magic_login_qr_type`	Filter the type of output (e.g., png or svg).	-
`magic_login_qr_options`	Filter the options used for QR generation.	2.5
`magic_login_qr_image_src`	Filter the final QR image source URL (after encoding).	2.5
`magic_login_qr_img_args`	Filter the QR code <img> tag attributes before rendering.	2.5
`magic_login_qr_mime_type`	Allow filtering the final MIME type.	2.5
`magic_login_recaptcha_attributes`	Filter the ReCaptcha attributes before rendering.	-
`magic_login_recaptcha_attributes`	Render the ReCaptcha	-

Hook Name	Summary	Since
`paddlepress_api_request_verify_ssl`	Returns if the SSL of the store should be verified.	1.0
`magic_login_registration_form_shortcode_atts`	Filter registration form attributes	2.2
`magic_login_registration_form_validation_rules`	Filter validation rules for registration form	2.2
`magic_login_registration_redirect_url`	Filter registration redirection URL	2.5
`magic_login_registration_success_message`	Filter registration success message	2.2
`magic_login_registration_allowed_domains`	Filter allowed domains for registration	2.4
`magic_login_registration_user_data`	Filter user data before registration	2.2
`magic_login_registration_send_email`	Filter whether to send registration email	2.2
`magic_login_registration_email_subject`	Filter registration email subject and content	2.2
`magic_login_registration_email_content`	Filter registration email content	2.2
`magic_login_email_headers`	Filter email headers	-

Hook Name	Summary	Since
`magic_login_registration_is_domain_allowed`	Filter to override domain restriction logic dynamically.	2.4
`magic_login_sms_providers`	Filter SMS providers	2.4
`magic_login_twilio_sms_options`	Filter Twilio SMS options	2.4.2
`magic_login_admin_menu_cap`	* Filter the capability required to access the Magic Login Pro settings page.	-
`magic_login_login_block_form_action`	Filter the form action URL for the login block.	-
`magic_login_create_user_token`	Filter the token	2.4
`magic_login_create_login_link`	Filter the login URL	2.4
`magic_login_client_ip`	`HTTP_X_FORWARDED_FOR` removed in 1.5 Filters the ip address	1.5
`magic_login_get_wp_login_url`	Filter the login URL for magic login	2.3.5
`magic_login_user_tokens`	Filter user tokens	2.1
`magic_login_license_key`	Filter the license key	-
`magic_login_current_user_can_control_user`	Filter the capability check for user profile	-

Hook Name	Summary	Since
`magic_login_email_placeholders`	Filter the email placeholders	2.4.2
`magic_login_token_ttl_by_user`	Filter the token TTL by user	2.2
`magic_login_allowed_domains`	Filter allowed domains for login	2.5
`plugin_locale`	Registers the default textdomain.	-